

Xytronic LF-853D Soldering Station

Soldering Station	
	
Tool Type:	Electronics/joining tool
Location:	Innovation Workshop
Description:	Soldering iron
Manufacturer:	Xytronic

About

- This tool is used to melt solder with its soldering iron or hot air station. This multi function rework station has a max heat output of 900W and can be used for hot air, soldering, and desoldering.
- Safety Glasses, long pants, and closed-toed shoes must be worn in the workshop.

Safety Concerns

High Heat Hazard - This tool generates heat! Do not set directly on bench, do not leave tool operating without supervision. Do not touch the solder iron tip or heat gun tip.

Noxious Fumes - Solder fumes contain vaporized flux (rosin) and may contain trace heavy metals. These fumes can cause discomfort for some, and long-term exposure can manifest as adverse health effects, such as acute asthma. It is recommended to use one of the bench-top fume exhausts while soldering.

Operating Procedures

- Secure the workpiece using the soldering hands.
- Heat the joint/wire to be soldered.
- Apply solder to the joint/wire using the soldering iron. Apply heat until the temperature of the iron equilibrates.
- Remove the iron from the joint. Use the desoldering braid located in the soldering supply bin if desoldering is needed.

Detailed Specifications

Normal Operation: 300-360 C
Temperature Range: 150-480 C

Reference Documentation

[lf-853d_manual.pdf](#)

<https://www.youtube.com/watch?v=J5Sb21qbpEQ>

<https://www.youtube.com/watch?v=Qps9woUGkvl>

From:
<https://microfluidics.cnsi.ucsb.edu/wiki/> - Innovation Workshop Wiki

Permanent link:
https://microfluidics.cnsi.ucsb.edu/wiki/doku.php?id=xytornix_soldering_station&rev=1675124660

Last update: **2023/01/31 00:24**

