

# **Safety Data Sheet**

#### 70% ISOPROPYL RUBBING ALCOHOL

## Section 1. Identification

Product Identifier

Synonyms

70% ISOPROPYL RUBBING ALCOHOL ISOPROPYL ALCOHOL; MDS098003Z

MDS098003Z

Manufacturer Stock

**Numbers** 

Recommended use N/A Uses advised against N/A

Manufacturer Contact

Address Me

Medline Industries, Inc. One Medline Place Mundelein, IL, 60060

USA

Phone Emergency Phone

(800) 633-5463 (800) 424-9300 (847) 643-4436

CHEMTREC CHEMTREC

Fax

Website

www.Medline.com

#### Section 2. Hazards Identification

Classification ACUTE TOXICITY - DERMAL - Category 5

ACUTE TOXICITY - ORAL - Category 5 EYE DAMAGE/IRRITATION - Category 2B FLAMMABLE LIQUIDS - Category 3 SENSITIZATION - SKIN - Category 1B

Signal Word Pictogram





Hazard Statements Causes eye irritation

Flammable liquid and vapor May be harmful if swallowed May be harmful in contact with skin May cause an allergic skin reaction

**Precautionary Statements** 

Response Call a poison center/doctor/ ... /if you feel unwell.

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

If on skin: Wash with plenty of water/ ...

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use ... to extinguish.

Specific treatment (see ... on this label)

Wash contaminated clothing before reuse.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Ground/bond container and receiving equipment.

Keep away from heat. Keep container tightly closed.

Take precautionary measures against static discharge. Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools. Wash ...thoroughly after handling.

Wear protective gloves.

Wear protective gloves/eye protection/face protection

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container to ...

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

No Data Available

#### Section 3. Ingredients

CAS	Ingredient Name	Weight %
67-63-0	Isopropyl alcohol	Unknown

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-Aid Measures

Eye Contact: Flush eyes with large amounts of water for at least 15 minutes. Remove contact

lenses, if worn. If irritation persists, seek medical attention.

Skin Contact: Wash with soap and water; if irritation persists, seek medical attention.

Inhalation: Remove victim to fresh air. Seek medical attention if discomfort continues.

Ingestion: If swallowed, call a physician immediately. Rinse mouth and throat thoroughly

with water. Do not induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

In case of fire, use Water, Carbon Dioxide (CO2), Foam, Dry Chemical

## Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Unsuitable Extinguishing

Media

Unusual Fire and Explosion

Hazards

Special Fire Fighting

**Procedures** 

#### Section 6. Accidental Release Measures

Flammable Small Spill: Absorb with an inert dry material and place in an appropriate waste disposal

container.

Flammable Large Spill: Flammable liquid. Keep away from heat. Keep away from sources of ignition.

Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or

confined areas; dike if needed.

#### Section 7. Handling and Storage

Handling Flammable: Keep away from heat. Keep away from sources of ignition. Ground all equipment

containing material. Do not ingest. Do not breathe gas/ fumes/ vapor/ spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from

incompatibles such as oxidizing agents, acids.

Storage Flammable: Store in a segregated and approved area. Keep container in a cool, well-

ventilated area. Keep container tightly closed and sealed until ready for use.

Avoid all possible sources of ignition (spark or flame).

#### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Ingredient Name ACGIH TLV OSHA PEL STEL

Isopropyl alcohol TWA: 200 ppm TWA: 400 ppm N/A STEL: 400 ppm STEL: 500 ppm

Personal Protective

Equipment

Limits

Goggles, Gloves

Engineering Controls: Ventilation: Local exhaust.

Respiratory Protection: Air supplied masks or respirator in confined areas Skin Protection: Protective gloves: Rubber Protective gloves: Vinyl.

Eye Protection: Wear chemical safety goggles while handling this product. Do not wear contact

lenses. Wear additional eye protection such as face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material.

Other protective equipment:

Work/hygienic practices: Handle in accordance with good industrial hygiene and safety practice. Wash

thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work

areas.

#### Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless
Odor	Characteristic
	odor
Odor Threshold	N/A
Solubility	Complete
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.88
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	77 Degrees F
FP Method	TCC
Ph	N/A
Melting Point	N.A.
Boiling Point	87° C
Boiling Range	N/A
LEL	2
UEL	12
Evaporation Rate	2.3
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	33mmHg
Vapor Density	2.07

# Section 10. Stability and Reactivity

Stability: Stable. Reactivity: None

Incompatibility (Materials to

Avoid)

Hazardous Decomposition Burning may produce Carbon Monoxide, Carbon Dioxide and other hazardous

or Byproducts: components.

Hazardous Polymerization N.D.

Conditions to avoid: Keep away from heat. Sparks. Open flame.

#### Section 11. Toxicological Information

Acute Toxicity: Eye Contact Contact may cause temporary moderate irritation

Acute Toxicity: Skin Contact May cause mild irritation on patients with sensitive skin

Acute Toxicity: Inhalation N.A.

Acute Toxicity: Ingestion May be harmful if swallowed

Carcinogenicity: None known Chronic Toxicity: None known

#### Section 12. Ecological Information

Toxicity: N.A.

#### Section 13. Disposal

Waste Disposal: Waste must be disposed of in accordance with federal, state and local

environmental control regulations.

## Section 14. Transport Information

UN Number 1219

UN Proper Shipping Name Isopropanol, 3

DOT Classification Hazmat at all levels depending on size of packaging, Excepted or Limited

Quantity or Fully Regulated

Packing Group PG II

Additional Information IATA OR IMDG - UN1219, Isopropanol, 3, PG II

#### Section 15. Regulatory Information

US Federal Regulations: N.A.

General Product Information

US Federal Regulations: N.A.

Clean Air Act

US Federal Regulations: N.A.

Component Analysis

US Federal Regulations: N.A.

Food & Drug Administration

State Regulations: General N.A.

**Product Information** 

State Regulations: N.A.

**Component Analysis** 

Other Regulations: N.A.
Other Classifications: N.A.
WHMIS (Canada): N.A.
California Prop.65: N.A.

## Section 16. Other Information

Revision Date 5/29/2015

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

Additional Information The information contained herein is furnished without warranty or legal

responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees

Additional Information NFPA

Health 1 Reactive 1 Fire 3