

# **Safety Data Sheet**

**Titebond 100% Silicone Sealant Clear** 

### Section 1. Identification

GHS product identifier	: Titebond 100% Silicone Sealant Clear			
Physical state	: Liquid.			
CAS #	: mixture			
Address	: Franklin International 2020 Bruck Street Columbus OH 43207			
Contact person	: Franklin Technical Services			
Telephone	: (800) 877-4583			
In case of emergency	: Franklin Security (614) 445-1300			
e-mail address of person responsible for this SDS	: SDS@FranklinInternational.com			
Reference number	: 00			
Product code	: 2611			
Date of revision	: 5/22/2019			
Safety Data Sheets are available online at	: www.FranklinInternational.com			
Chemtrec (24 Hour)	: (800) 424 - 9300			
Chemtrec International	: +1 703-741-5970			
Relevant identified uses of the substance or mixture and uses advised against				

Not applicable.

### Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 7.5%
	Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 7.5%
	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 7.5%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	<ul> <li>Refer to safety data sheet before use. Avoid contact with skin and clothing. Wash thoroughly after handling. Get medical attention if needed. Contact Franklin International Technical Service for additional information at 1-800-877-4583.</li> </ul>

### Section 2. Hazards identification

Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: Product generates acetic acid during cure.

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture		
Ingredient name		%	CAS number
silicon dioxide		≤10	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if needed.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if needed.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if needed.
Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: This product may irritate eyes upon contact.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information	on (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for co	nta	ainment and cleaning up	
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	<ul> <li>Put on appropriate personal protective equipment (see Section 8).</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and ampling. Demonstration and protective approximate detailing and protective approximate details.</li> </ul>
	drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Section 7. Handling and storage

Conditions for safe storage,	1	Store between the following temperatures: 50 to 90°C (122 to 194°F). Store in
including any		accordance with local regulations. Store in original container protected from direct
incompatibilities		sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see
		Section 10) and food and drink. Keep container tightly closed and sealed until ready for
		use. Containers that have been opened must be carefully resealed and kept upright to
		prevent leakage. Do not store in unlabeled containers. Use appropriate containment to
		avoid environmental contamination. See Section 10 for incompatible materials before
		handling or use.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

**Occupational exposure limits** 

Ingredient name		Exposure limits
silicon dioxide		NIOSH REL (United States, 10/2016). TWA: 6 mg/m <sup>3</sup> 10 hours.
Appropriate engineering controls	: Good genera contaminants	al ventilation should be sufficient to control worker exposure to airborne s.
Environmental exposure controls	they comply cases, fume	om ventilation or work process equipment should be checked to ensure with the requirements of environmental protection legislation. In some scrubbers, filters or engineering modifications to the process equipment sary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>	
Hygiene measures	eating, smok Appropriate t Wash contar	, forearms and face thoroughly after handling chemical products, before sing and using the lavatory and at the end of the working period. techniques should be used to remove potentially contaminated clothing. minated clothing before reusing. Ensure that eyewash stations and safety close to the workstation location.
Eye/face protection	assessment gases or dus	ear complying with an approved standard should be used when a risk indicates this is necessary to avoid exposure to liquid splashes, mists, sts. If contact is possible, the following protection should be worn, unless ent indicates a higher degree of protection: safety glasses with side-
Skin protection		
Hand protection		sistant, impervious gloves complying with an approved standard should be mes when handling chemical products if a risk assessment indicates this is
Body protection		tective equipment for the body should be selected based on the task being nd the risks involved and should be approved by a specialist before product.
Other skin protection	based on the	footwear and any additional skin protection measures should be selected a task being performed and the risks involved and should be approved by a fore handling this product.
Respiratory protection	appropriate s	e hazard and potential for exposure, select a respirator that meets the standard or certification. Respirators must be used according to a rotection program to ensure proper fitting, training, and other important se.

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	Liquid. [Paste.]
Color	:	Clear to slightly hazy liquid.
Odor	:	Acetic acid. [Strong]
Odor threshold	:	Not available.
рН	:	Not applicable.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	1	Closed cup: >93.333°C (>200°F) [Closed cup]
Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
		Not available.
Vapor density	1	Not available.
Relative density	1	1.007
Solubility	1	Insoluble in the following materials: cold water and hot water.
Solubility in water	1	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: When exposed to high temperatures, may produce hazardous decomposition products, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. Acetic acid. Formaldehyde.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
silicon dioxide	Eyes - Mild irritant	Rabbit	-	24 hours 25 milligrams	-
Conclusion/Summary					

Skin

: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

### Section 11. Toxicological information

#### Eyes

: This product may irritate eyes upon contact.

### Respiratory

: Irritating to respiratory system.

### Sensitization

Not available.

**Mutagenicity** 

Not available.

#### **Carcinogenicity**

Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
silicon dioxide	-	3	-

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Routes of entry anticipated: Oral, Inhalation. Routes of entry not anticipated: Dermal.	
Potential acute health effects	S		
Eye contact	۰.	This product may irritate eyes upon contact.	
Inhalation	:	No known significant effects or critical hazards.	
Skin contact	:	No known significant effects or critical hazards.	
Ingestion	:	No known significant effects or critical hazards.	
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics	
Eye contact	1	No specific data.	
Inhalation	:	No specific data.	
Skin contact	:	No specific data.	
Ingestion	:	No specific data.	
Delayed and immediate effect	<u>cts</u>	and also chronic effects from short and long term exposure	<u>e</u>
Short term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Long term exposure			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Potential chronic health eff	ect	<u>s</u>	
		20/22/0	14-

#### Date of issue/Date of revision : 5/22/2019

### Section 11. Toxicological information

#### Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxi	<u>city</u>
• · · • • · · · ·	

Acute toxicity estimates

Not available.

## Section 12. Ecological information

#### **Toxicity**

Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

<u></u>	
Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

sewers.

### Section 13. Disposal considerations

 Disposal methods
 : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

### Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Section 15. Regulatory information

#### **U.S. Federal regulations**

#### SARA 302/304

#### **Composition/information on ingredients**

No products were found.

#### SARA 304 RQ : Not applicable.

#### SARA 311/312 Classification : Not applicable.

### Composition/information on ingredients

Name	%	Classification
silicon dioxide	≤10	EYE IRRITATION - Category 2A

#### **State regulations**

**New Jersey** 

**Pennsylvania** 

Massachusetts	: The following components are listed: DIATOMACEOUS EARTH; AMORPHOUS SILICA
New York	: None of the components are listed.

- : None of the components are listed.
- : The following components are listed: SILICA

#### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### Inventory list


#### China United States TS

: All components are listed or exempted.

United States TSCA 8(b) : All components are listed or exempted. inventory

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

	Classification	Justification
Not classified.		
History		
Date of printing	: 12/17/2019	
Date of issue/Date of revision	: 5/22/2019	
Date of previous issue	: 5/22/2019	
Version	: 1.2	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition co MARPOL = International Convention for the Preven as modified by the Protocol of 1978. ("Marpol" = ma UN = United Nations	pefficient tion of Pollution From Ships, 1973
References	: Not available.	

Procedure used to derive the classification

## Section 16. Other information

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.